

Package: PooledCohort (via r-universe)

October 12, 2024

Title Predicted Risk for CVD using Pooled Cohort Equations, PREVENT Equations, and Other Contemporary CVD Risk Calculators

Version 0.0.2

Description The 2017 American College of Cardiology and American Heart Association blood pressure guideline recommends using 10-year predicted atherosclerotic cardiovascular disease risk to guide the decision to initiate or intensify antihypertensive medication. The guideline recommends using the Pooled Cohort risk prediction equations to predict 10-year atherosclerotic cardiovascular disease risk. This package implements the original Pooled Cohort risk prediction equations and also incorporates updated versions based on more contemporary data and statistical methods.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Suggests testthat, covr, dplyr

URL <https://github.com/bcjaeger/PooledCohort>,
<https://bcjaeger.github.io/PooledCohort/>

BugReports <https://github.com/bcjaeger/PooledCohort/issues>

Imports glue, stats

Depends R (>= 2.10)

Repository <https://bcjaeger.r-universe.dev>

RemoteUrl <https://github.com/bcjaeger/pooledcohort>

RemoteRef HEAD

RemoteSha b6c7d86a39842cf60b07000809d047ec9ad4a5f2

Contents

predict_10yr_ascvd_risk	2
-----------------------------------	---

Index	13
--------------	-----------

predict_10yr_ascvd_risk
CVD Risk Calculator

Description

This function implements

- the Pooled Cohort Risk equations from Goff et al, 2013.
- the updated Pooled Cohort Risk equations from Yadlowski et al, 2018
- The PREVENT equations from Khan et al, 2023

These equations predict 10-year risk of a first atherosclerotic cardiovascular disease (ASCVD) event, such as a stroke or myocardial infarction. The 2017 American College of Cardiology and American Heart Association blood pressure guideline recommends using 10-year predicted atherosclerotic cardiovascular disease risk to guide the decision to initiate or intensify antihypertensive medication. The guideline recommends using the Pooled Cohort risk prediction equations to predict 10-year atherosclerotic cardiovascular disease risk in clinical practice.

Usage

```
predict_10yr_ascvd_risk(
  age_years,
  race = NULL,
  sex,
  smoke_current,
  chol_total_mgdl,
  chol_hdl_mgdl,
  bp_sys_mmhg,
  bp_meds,
  statin_meds = NULL,
  diabetes,
  bmi = NULL,
  egfr_mlminm2 = NULL,
  acr = NULL,
  hba1c = NULL,
  sdi = NULL,
  equation_version = "Goff_2013",
  prevent_type = "base",
  override_boundary_errors = FALSE,
  race_levels = list(black = "black", white = "white"),
  sex_levels = list(female = "female", male = "male"),
```

```
    smoke_current_levels = list(no = "no", yes = "yes"),  
    bp_meds_levels = list(no = "no", yes = "yes"),  
    statin_meds_levels = list(no = "no", yes = "yes"),  
    diabetes_levels = list(no = "no", yes = "yes")  
  )
```

```
predict_10yr_cvd_risk(  
  age_years,  
  race = NULL,  
  sex,  
  smoke_current,  
  chol_total_mgdl,  
  chol_hdl_mgdl,  
  bp_sys_mmhg,  
  bp_meds,  
  statin_meds = NULL,  
  diabetes,  
  bmi = NULL,  
  egfr_mlminm2 = NULL,  
  acr = NULL,  
  hba1c = NULL,  
  sdi = NULL,  
  equation_version = "Khan_2023",  
  prevent_type = "base",  
  override_boundary_errors = FALSE,  
  race_levels = list(black = "black", white = "white"),  
  sex_levels = list(female = "female", male = "male"),  
  smoke_current_levels = list(no = "no", yes = "yes"),  
  bp_meds_levels = list(no = "no", yes = "yes"),  
  statin_meds_levels = list(no = "no", yes = "yes"),  
  diabetes_levels = list(no = "no", yes = "yes")  
)
```

```
predict_10yr_hf_risk(  
  age_years,  
  race = NULL,  
  sex,  
  smoke_current,  
  chol_total_mgdl,  
  chol_hdl_mgdl,  
  bp_sys_mmhg,  
  bp_meds,  
  statin_meds = NULL,  
  diabetes,  
  bmi = NULL,  
  egfr_mlminm2 = NULL,  
  acr = NULL,  
  hba1c = NULL,
```

```
sdi = NULL,  
equation_version = "Khan_2023",  
prevent_type = "base",  
override_boundary_errors = FALSE,  
race_levels = list(black = "black", white = "white"),  
sex_levels = list(female = "female", male = "male"),  
smoke_current_levels = list(no = "no", yes = "yes"),  
bp_meds_levels = list(no = "no", yes = "yes"),  
statin_meds_levels = list(no = "no", yes = "yes"),  
diabetes_levels = list(no = "no", yes = "yes")  
)
```

```
predict_10yr_chd_risk(  
  age_years,  
  race = NULL,  
  sex,  
  smoke_current,  
  chol_total_mgdl,  
  chol_hdl_mgdl,  
  bp_sys_mmhg,  
  bp_meds,  
  statin_meds = NULL,  
  diabetes,  
  bmi = NULL,  
  egfr_mLminm2 = NULL,  
  acr = NULL,  
  hba1c = NULL,  
  sdi = NULL,  
  equation_version = "Khan_2023",  
  prevent_type = "base",  
  override_boundary_errors = FALSE,  
  race_levels = list(black = "black", white = "white"),  
  sex_levels = list(female = "female", male = "male"),  
  smoke_current_levels = list(no = "no", yes = "yes"),  
  bp_meds_levels = list(no = "no", yes = "yes"),  
  statin_meds_levels = list(no = "no", yes = "yes"),  
  diabetes_levels = list(no = "no", yes = "yes")  
)
```

```
predict_10yr_stroke_risk(  
  age_years,  
  race = NULL,  
  sex,  
  smoke_current,  
  chol_total_mgdl,  
  chol_hdl_mgdl,  
  bp_sys_mmhg,  
  bp_meds,
```

```
    statin_meds = NULL,  
    diabetes,  
    bmi = NULL,  
    egfr_mLminm2 = NULL,  
    acr = NULL,  
    hba1c = NULL,  
    sdi = NULL,  
    equation_version = "Khan_2023",  
    prevent_type = "base",  
    override_boundary_errors = FALSE,  
    race_levels = list(black = "black", white = "white"),  
    sex_levels = list(female = "female", male = "male"),  
    smoke_current_levels = list(no = "no", yes = "yes"),  
    bp_meds_levels = list(no = "no", yes = "yes"),  
    statin_meds_levels = list(no = "no", yes = "yes"),  
    diabetes_levels = list(no = "no", yes = "yes")  
  )
```

```
predict_30yr_ascvd_risk(  
  age_years,  
  race = NULL,  
  sex,  
  smoke_current,  
  chol_total_mgdl,  
  chol_hdl_mgdl,  
  bp_sys_mmhg,  
  bp_meds,  
  statin_meds = NULL,  
  diabetes,  
  bmi = NULL,  
  egfr_mLminm2 = NULL,  
  acr = NULL,  
  hba1c = NULL,  
  sdi = NULL,  
  equation_version = "Khan_2023",  
  prevent_type = "base",  
  override_boundary_errors = FALSE,  
  race_levels = list(black = "black", white = "white"),  
  sex_levels = list(female = "female", male = "male"),  
  smoke_current_levels = list(no = "no", yes = "yes"),  
  bp_meds_levels = list(no = "no", yes = "yes"),  
  statin_meds_levels = list(no = "no", yes = "yes"),  
  diabetes_levels = list(no = "no", yes = "yes")  
)
```

```
predict_30yr_cvd_risk(  
  age_years,  
  race = NULL,
```

```
sex,  
smoke_current,  
chol_total_mgdl,  
chol_hdl_mgdl,  
bp_sys_mmhg,  
bp_meds,  
statin_meds = NULL,  
diabetes,  
bmi = NULL,  
egfr_mllminm2 = NULL,  
acr = NULL,  
hba1c = NULL,  
sdi = NULL,  
equation_version = "Khan_2023",  
prevent_type = "base",  
override_boundary_errors = FALSE,  
race_levels = list(black = "black", white = "white"),  
sex_levels = list(female = "female", male = "male"),  
smoke_current_levels = list(no = "no", yes = "yes"),  
bp_meds_levels = list(no = "no", yes = "yes"),  
statin_meds_levels = list(no = "no", yes = "yes"),  
diabetes_levels = list(no = "no", yes = "yes")  
)  
  
predict_30yr_hf_risk(  
  age_years,  
  race = NULL,  
  sex,  
  smoke_current,  
  chol_total_mgdl,  
  chol_hdl_mgdl,  
  bp_sys_mmhg,  
  bp_meds,  
  statin_meds = NULL,  
  diabetes,  
  bmi = NULL,  
  egfr_mllminm2 = NULL,  
  acr = NULL,  
  hba1c = NULL,  
  sdi = NULL,  
  equation_version = "Khan_2023",  
  prevent_type = "base",  
  override_boundary_errors = FALSE,  
  race_levels = list(black = "black", white = "white"),  
  sex_levels = list(female = "female", male = "male"),  
  smoke_current_levels = list(no = "no", yes = "yes"),  
  bp_meds_levels = list(no = "no", yes = "yes"),  
  statin_meds_levels = list(no = "no", yes = "yes"),
```

```
    diabetes_levels = list(no = "no", yes = "yes")
  )

predict_30yr_chd_risk(
  age_years,
  race = NULL,
  sex,
  smoke_current,
  chol_total_mgdl,
  chol_hdl_mgdl,
  bp_sys_mmhg,
  bp_meds,
  statin_meds = NULL,
  diabetes,
  bmi = NULL,
  egfr_mlminm2 = NULL,
  acr = NULL,
  hba1c = NULL,
  sdi = NULL,
  equation_version = "Khan_2023",
  prevent_type = "base",
  override_boundary_errors = FALSE,
  race_levels = list(black = "black", white = "white"),
  sex_levels = list(female = "female", male = "male"),
  smoke_current_levels = list(no = "no", yes = "yes"),
  bp_meds_levels = list(no = "no", yes = "yes"),
  statin_meds_levels = list(no = "no", yes = "yes"),
  diabetes_levels = list(no = "no", yes = "yes")
)

predict_30yr_stroke_risk(
  age_years,
  race = NULL,
  sex,
  smoke_current,
  chol_total_mgdl,
  chol_hdl_mgdl,
  bp_sys_mmhg,
  bp_meds,
  statin_meds = NULL,
  diabetes,
  bmi = NULL,
  egfr_mlminm2 = NULL,
  acr = NULL,
  hba1c = NULL,
  sdi = NULL,
  equation_version = "Khan_2023",
  prevent_type = "base",
```

```

override_boundary_errors = FALSE,
race_levels = list(black = "black", white = "white"),
sex_levels = list(female = "female", male = "male"),
smoke_current_levels = list(no = "no", yes = "yes"),
bp_meds_levels = list(no = "no", yes = "yes"),
statin_meds_levels = list(no = "no", yes = "yes"),
diabetes_levels = list(no = "no", yes = "yes")
)

predict_5yr_ascvd_risk(
  age_years,
  race,
  sex,
  smoke_current,
  chol_total_mgdl,
  chol_hdl_mgdl,
  bp_sys_mmhg,
  bp_meds,
  diabetes,
  equation_version = "Goff_2013",
  override_boundary_errors = FALSE,
  race_levels = list(black = "black", white = "white"),
  sex_levels = list(female = "female", male = "male"),
  smoke_current_levels = list(no = "no", yes = "yes"),
  bp_meds_levels = list(no = "no", yes = "yes"),
  diabetes_levels = list(no = "no", yes = "yes")
)

```

Arguments

<code>age_years</code>	numeric vector of age values, in years.
<code>race</code>	character vector of race values. Categories should include only 'black' or 'white'. If the race variable has additional categories other than 'black' or 'white', then group all non 'black' values into the 'white' category. This variable is not required if <code>equation_version = 'Khan_2023'</code>
<code>sex</code>	character vector of sex values. Categories should include only 'male' or 'female'.
<code>smoke_current</code>	character vector of current smoking habits. Categories should include only 'no' and 'yes'.
<code>chol_total_mgdl</code>	total cholesterol, in mg/dL.
<code>chol_hdl_mgdl</code>	HDL-cholesterol, in mg/dL.
<code>bp_sys_mmhg</code>	systolic blood pressure, in mm Hg.
<code>bp_meds</code>	character vector of blood pressure medication use habits. Categories should include only 'no' and 'yes'. For example, if currently using medication to lower blood pressure, the value should be 'yes'.

statin_meds	character vector of statin medication use habits. Categories should include only 'no' and 'yes'. For example, if currently using a statin, the value should be 'yes'. This variable is only required if equation_version = 'Khan_2023'
diabetes	character vector of diabetes status. Categories should include only 'no' and 'yes'. For example, if diabetes is present, the value should be 'yes'.
bmi	numeric vector of bmi values. Only required if equation_version = "Khan_2023"
egfr_mlminm2	numeric vector of egfr_mlminm2 values. Only required if equation_version = "Khan_2023"
acr	numeric vector of acr values. Only required if equation_version = "Khan_2023" and prevent_type is "acr" or "full".
hba1c	numeric vector of hba1c values. Only required if equation_version = "Khan_2023" and prevent_type is "hba1c" or "full".
sdi	numeric vector of sdi values. Only required if equation_version = "Khan_2023" and prevent_type is "sdi" or "full".
equation_version	<p>a character value of length 1. Valid options are</p> <ul style="list-style-type: none"> • 'Goff_2013' • 'Yadlowsky_2018' • 'Khan_2023' <p>If 'Goff_2013' (the default option) is selected, the original Pooled Cohort risk equations are used (See Goff et al., 2013).</p> <p>If 'Yadlowsky_2018' is selected, the equations recommended by Yadlowsky et al., 2018 are used.</p> <p>If 'Khan_2023' is selected, the equations recommended by Khan et al., 2023 are used.</p>
prevent_type	<p>a character value of length 1. Only required if equation_version = "Khan_2023". Valid options are:</p> <ul style="list-style-type: none"> • 'base': computes the base PREVENT equation (default). • 'acr': computes the PREVENT equation using albumin-to-creatinine ratio. • 'hba1c': computes the PREVENT equation using hemoglobin A1c. • 'sdi': computes the PREVENT equation using social deprivation index. • 'full': computes the PREVENT equation using all novel predictors.
override_boundary_errors	a logical vector of length 1. If FALSE (the default), then predict_10yr_ascvd_risk() will throw hard errors if you give it continuous input values that are outside the boundaries of what the Pooled Cohort risk calculator recommends. If TRUE, errors will not be thrown. Please use with caution.
race_levels	a list of length 2 with names 'black' and 'white'. values in the list should be character vectors of any length, and values in the character vectors should indicate what values in race belong to the 'black' and 'white' categories. For example, race may contain values of 'african_american', 'white', and 'hispanic'. In this case, race_levels should be list(white = c('white', 'hispanic'), black = 'african_american').

- `sex_levels` a list of length 2 with names 'female' and 'male'. values in the list should be character vectors of any length, and values in the character vectors should indicate what values in `sex` belong to the 'female' and 'male' categories (see examples).
- `smoke_current_levels` a list of length 2 with names 'no' and 'yes'. values in the list should be character vectors of any length, and values in the character vectors should indicate what values in `smoke_current` belong to the 'no' and 'yes' categories (see examples).
- `bp_meds_levels` a list of length 2 with names 'no' and 'yes'. values in the list should be character vectors of any length, and values in the character vectors should indicate what values in `bp_meds` belong to the 'no' and 'yes' categories (see examples).
- `statin_meds_levels` a list of length 2 with names 'no' and 'yes'. values in the list should be character vectors of any length, and values in the character vectors should indicate what values in `statin_meds` belong to the 'no' and 'yes' categories (see examples).
- `diabetes_levels` a list of length 2 with names 'no' and 'yes'. values in the list should be character vectors of any length, and values in the character vectors should indicate what values in `diabetes` belong to the 'no' and 'yes' categories (see examples).

Details

The 2017 American College of Cardiology (ACC) / American Heart Association (AHA) blood pressure (BP) guideline recommends using 10-year predicted atherosclerotic cardiovascular disease (ASCVD) risk to guide the decision to initiate antihypertensive medication. The guideline recommends using the Pooled Cohort risk prediction equations (Goff et al, 2013) to predict 10-year ASCVD risk. The Pooled Cohort risk prediction equations have been externally validated in several studies and, in some populations, are known to overestimate 10-year ASCVD risk. In 2018, an updated set of equations were developed by Yadlowsky et al. using more contemporary data and statistical methods.

Value

a numeric vector with 10-year predicted risk values for ASCVD events.

References

- Goff DC, Lloyd-Jones DM, Bennett G, Coady S, D'agostino RB, Gibbons R, Greenland P, Lackland DT, Levy D, O'donnell CJ, Robinson JG. 2013 ACC/AHA guideline on the assessment of cardiovascular risk: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *Journal of the American College of Cardiology*. 2014 Jul 1;63(25 Part B):2935-59. DOI: 10.1016/j.jacc.2014.03.006
- Yadlowsky S, Hayward RA, Sussman JB, McClelland RL, Min YI, Basu S. Clinical implications of revised pooled cohort equations for estimating atherosclerotic cardiovascular disease risk. *Annals of internal medicine*. 2018 Jul 3;169(1):20-9. DOI: 10.7326/M17-3011
- Khan SS, Coresh J, Pencina MJ, Ndumele CE, Rangaswami J, Chow SL, Palaniappan LP, Sperling LS, Virani SS, Ho JE, Neeland IJ, Tuttle KR, Rajgopal Singh R, Elkind MSV, Lloyd-Jones DM; American Heart Association. Novel Prediction Equations for Absolute Risk Assessment of

Total Cardiovascular Disease Incorporating Cardiovascular-Kidney-Metabolic Health: A Scientific Statement From the American Heart Association. *Circulation*. 2023 Dec 12;148(24):1982-2004. PMID: 37947094.

Examples

```
# example taken from Goff et al, 2013

sex = c('female', 'female', 'male', 'male')
race = c('black', 'white', 'black', 'white')
# 55 years of age
age_years = rep(55, times = 4)
# total cholesterol 213 mg/dL
chol_total_mgdl = rep(213, times = 4)
# HDL cholesterol 50 mg/dL
chol_hdl_mgdl = rep(50, times = 4)
# untreated systolic BP 120 mm Hg
bp_sys_mmhg = rep(120, times = 4)
bp_meds = rep('no', times = 4)
# nonsmoker
smoke_current = rep('no', times = 4)
# without diabetes
diabetes = rep('no', times = 4)

pcr_probs <- predict_10yr_ascvd_risk(
  sex = sex,
  race = race,
  age_years = age_years,
  chol_total_mgdl = chol_total_mgdl,
  chol_hdl_mgdl = chol_hdl_mgdl,
  bp_sys_mmhg = bp_sys_mmhg,
  bp_meds = bp_meds,
  smoke_current = smoke_current,
  diabetes = diabetes
)

# note that this isn't an exact match of Table 4 in
# Goff et al supplement - this is because the table's
# coefficients are rounded to a lower decimal count than
# the coefficients used in predict_10yr_ascvd_risk()
round(100 * pcr_probs, 1)

# using a data frame with more granular categories and names

some_data <- data.frame(
  gender = c('woman', 'woman', 'man', 'male'),
  race_3cats = c('AA', 'white', 'AA', 'other'),
  # 55 years of age
  age_years = rep(55, times = 4),
  # total cholesterol 213 mg/dL
  chol_total_mgdl = rep(213, times = 4),
  # HDL cholesterol 50 mg/dL
  chol_hdl_mgdl = rep(50, times = 4),
```

```
# untreated systolic BP 120 mm Hg
bp_sys_mmhg = rep(120, times = 4),
bp_meds = rep('No', times = 4),
# nonsmoker
smoke_current = c("no", "former", "no", "never"),
# without diabetes
diabetes = rep('No', times = 4),
stringsAsFactors = FALSE
)

pcr_probs <- with(
  some_data,
  predict_10yr_ascvd_risk(
    sex = gender,
    sex_levels = list(female = 'woman', male = c('man', 'male')),
    race = race_3cats,
    age_years = age_years,
    chol_total_mgdl = chol_total_mgdl,
    chol_hdl_mgdl = chol_hdl_mgdl,
    bp_sys_mmhg = bp_sys_mmhg,
    bp_meds = bp_meds,
    smoke_current = smoke_current,
    diabetes = diabetes,
    race_levels = list(black = 'AA', white = c('white', 'other')),
    smoke_current_levels = list(no = c('no', 'former', 'never'), yes = 'Yes'),
    bp_meds_levels = list(no = 'No', yes = 'Yes'),
    diabetes_levels = list(no = 'No', yes = 'Yes')
  )
)
```

Index

predict_10yr_ascvd_risk, 2
predict_10yr_chd_risk
 (predict_10yr_ascvd_risk), 2
predict_10yr_cvd_risk
 (predict_10yr_ascvd_risk), 2
predict_10yr_hf_risk
 (predict_10yr_ascvd_risk), 2
predict_10yr_stroke_risk
 (predict_10yr_ascvd_risk), 2
predict_30yr_ascvd_risk
 (predict_10yr_ascvd_risk), 2
predict_30yr_chd_risk
 (predict_10yr_ascvd_risk), 2
predict_30yr_cvd_risk
 (predict_10yr_ascvd_risk), 2
predict_30yr_hf_risk
 (predict_10yr_ascvd_risk), 2
predict_30yr_stroke_risk
 (predict_10yr_ascvd_risk), 2
predict_5yr_ascvd_risk
 (predict_10yr_ascvd_risk), 2